

Full Spectrum Sanctuary Outdoor 2 by Clearlight®



Features

Therapeutic Far Infrared Heaters

Our exclusive True Wave™ hybrid Carbon & Ceramic low EMF / low ELF heaters surround you in healing infrared heat.

True Wave™ Full Spectrum Heaters

Our full spectrum infrared heaters deliver over 20 times the power of the nearest leading competitor. Our patented heating system allows for the deepest penetration with peak performance for the best results.

Ergonomic Bench

Relax in comfort in your sauna with our reversible bench.

Built For The Outdoors

Cedartec® exterior finish for durable outdoor use and Mahogany interior for that true sauna feel.

Built-in Charging and Audio Station

Charge your tablet or smartphone inside the sauna and connect your favorite audio device with Bluetooth or the included MP3 jack.

Built-in Ergonomic Backrest

Relax close to the soothing infrared heat against the Chiropractor designed built-in ergonomic backrest.

Heated Floor

Stay warm from your head to your toes with our infrared heated floor.

Combination Door Handle/Tablet Cradle For Easy Media Viewing

Place your tablet on the door handle for easy viewing of your favorite shows or movies.



Chromotherapy (Color Light Therapy)

Your Outdoor sauna comes standard with our therapeutic Chromotherapy.




Enhanced Audio Sound System

Bluetooth and AUX inputs make it easy to connect and listen to your audio devices.



Digital Keypad Controls




Never Fail™ digital keypad controls temperature, time, lights, heater intensity and reservation mode.




Tablet/Smartphone Control (optional)

Log in from your tablet or smartphone and remotely operate your sauna.

Full Spectrum Sanctuary Outdoor 2 by Clearlight®



Power cord is located on the back of the sauna, six inches off the ground and is approximately six feet long.



240V / 15amp Electrical Circuit Required
NEMA 6-15p

Specifications

Construction

Gray Cedartec® Eco-Certified Exterior
Mahogany Interior
Tongue & Groove Construction
Weight: 765 lbs
Rated: IPX 4

Exterior

Width: 57" *
Depth: 52" *
Height: 80"
* Roof Cap: 74" x 69"

Interior

Width: 51"
Depth: 46"
Height: 71 1/2"
Bench: 50" x 20"

Heaters

True Wave™ Far
Infrared and Full
Spectrum Infrared
Heaters Power: 240V /
2,480 W / 15A

Limited Lifetime Residential Warranty

Heaters: Lifetime
Electrical Controls: Lifetime
Cabinetry & Glass: 5 Years



Attention: Concrete or wooden foundation is needed as a base when placed outside. Make sure largest panel can fit through all access points from location entrance to sauna set up location

Full Spectrum Sanctuary Outdoor 2 by Clearlight®

Individual panel sizes laying flat in inches

Panel	Length	Width	Height
Roof	51 ½	56 ¾	3 ½
Floor	49	54 ¼	3 ¼
Left Side	71 ¼	46 ½	4
Right Side	71 ½	46 ½	4
Back Wall	71 ½	56 ½	5
Front Wall	71 ½	56 ½	3
Overhang	68 ¼	73	3 ¾

What gauge wire are our saunas?

15 amp saunas are 14 AWG

Single phase/3 wire: 2 x live/ground - for 240v



Attention: Make sure sauna is assembled on a level surface. Not recommended for use where temperatures are regularly 20° F or below.

Additional Information

Recommended Clearance

4" All Around if enclosing

Weather Precautions

1ft Snow limit, Wind Rating 35 MPH

Add On

Can't have both upgrade heater and Red Light simultaneously.

Surface Requirements

It is necessary to place sauna on a raised platform to ensure no water pools under it.

Additional Build Information

Roof Information

- Roof cap is 4" deep (top to bottom). The slope inside the roof is 15mm. The overhang at the back is 9"
- Height of the unit without the roof cap is 77 ¼" tall
- Top of roof is a silver color reflective roofing material
- From the floor to the bottom of the glass door is 6 ¼" inches

Side Windows

16 ½" X 64" X 12"

Wall Thickness

2 ½"

Insulation Thickness

1 ½" inches

Bench Specifications

Fixed Bench Height: 20"